

#### Loud volume, Covering the entire store

Using  $4\Omega/3W$  speakers, high volume for clear hearing even in noisy environments. Support TTS, customize exclusive broadcast voice, distinguish other incoming interference sounds.



#### **Amount Is Visible**

The 6-digit 8-segment digital tube displays the transaction amount which is clear at a glance, and double guarantees transaction security.






# **Long Battery Life**

Built-in high-capacity battery, long battery life.

### Real-time broadcast Reject missed orders

Using 4G (Cat.1) communication, broadcast faster and more stable, broadcast in real time, refuse to evade bills, and receive payment more assured.



# Integrated design More convenient to carry

The code plate and the host are integrated with a lightweight and integrated design, which is suitable for use in all scenarios and is more convenient to carry.




## **Flexible Adaptability**






Dining room







Bar Cafeteria

#### **Specifications**

**Processor** 

ARM CotexA5 500MHZ

Keys

1x Volume+/1x Power
1x Function

**Battery** 

Rechargeable Li-ion Battery 3.7V/2000mAh

**Code Plate** 

QR code Plate

**Memory** 

12MB Flash 16MB RAM

**Speaker** 

4Ω,3W Volume≥110dB

Adapter/Power

Optional,Input: 100-240VAC 50Hz/60Hz Output:5.0V DC,1A

**Working Environment** 

Temperature: 0°C~50°C(32°F~122°F) Humidity: 5%~95%(non-condense) Communication

4G(Cat.1)/2G(GPRS)
OptionalWiFi(2.4G)

Digital display

Optional6-digit 8-segment LED display, which can display numbers, extended characters, etc.

**Peripheral Ports** 

1XType C-USB 1X SIM(or optional 2\*SIM)

**Storage Environment** 

Temperature: -20°C~60°C(-4°F~140°F) Humidity: 5%~95%(non-condense) **Audios** 

wav、mp3、etc. Support TTS voice conversion

**Indicator Light** 

Power Indicator Status Indicator

**Dimensions** 

Terminal:149 x 101 x 40mm

Certifications

CCC,BIS,WPC,etc